

advana greens®

WPC DECKING



ALL WEATHER



Exterior Use



Maintenance &
Painting free



High UV
Resistance



Sustainable
Product



Recycle

Our Wpc Decking /Wall cladding/ Deck Tiles is environment friendly and an ecological product, the ultimate Ecofriendly and alternative to natural wood cladding.

Manufactured from HDPE, and Wood Fiber.

Our Composite material has the benefits of a natural wood with unmatched performance. WPC wall cladding has many benefits over traditional wood products

The construction grade material is strong, durable and moisture resistant that maintains its natural wood appearance and require zero maintenance. It is structurally stable, rot resistant, crackresistant, Pest & Fire resistant, it is very easy to install.

WPC wall cladding is water & Termite proof that can handle most extreme weather conditions It can be easily cleaned using high pressure jet or simple washing does the job



Natural wood Looks



Extra Long Life



Weather Proof



Anti Fading



Low Maintenance



Anti Corrosive



Fire Retardant



Environment Friendly



Impact Resistant



Termite Proof



High Strength



Multiple Applications Flexibility



aavana greens®

HDPE Material
With Co-Ex Layer



Durable • Withstand to harsh weather, mildew and moisture. Resist stain and scratches.

Enduring • Comparing with standard 1st generation WPC, 3D wood grain texture last longer.

Cost Effective • No more painting, staining or sealing. Free your time.



WPC DECKING



AGWPC DECK R-01 (GREY)

146 x 25 x 2900 mm

Per Panel - 4.56 SQFT



AGWPC DECK R-02 (TEAK)

146 x 25 x 2900 mm

Per Panel - 4.56 SQFT



Natural
wood looks



High weathering
capability



Durable &
long lasting



UV resistant &
anti-fading



Barefoot
safe



Low maintenance
& costs

WPC DECKING



AGWPC DECK R-03 (COFFEE)

146 x 25 x 2900 mm

Per Panel - 4.56 SQFT



AGWPC DECK R-04 (BROWN)

146 x 25 x 2900 mm

Per Panel - 4.56 SQFT



Natural
wood looks



High weathering
capability



Durable &
long lasting



UV resistant &
anti-fading



Barefoot
safe



Low maintenance
& costs



WPC DECKING



**AGWPC DECK -01
(Light Grey)**

146 x 25 x 2900 mm
Per Panel - 4.56 SQFT



**AGWPC DECK -02
(Teak)**

146 x 25 x 2900 mm
Per Panel - 4.56 SQFT



**AGWPC DECK -03
(Coffee)**

146 x 25 x 2900 mm
Per Panel - 4.56 SQFT



**AGWPC DECK -04
(Brown)**

146 x 25 x 2900 mm
Per Panel - 4.56 SQFT



**AGWPC DECK -05
(Natural Teak)**

146 x 25 x 2900 mm
Per Panel - 4.56 SQFT



Natural
wood looks



High weathering
capability



Durable &
long lasting



UV resistant &
anti-fading



Barefoot
safe



Low maintenance
& costs

Co-Ex Decking



AGWPC DECK R-06 (WALNUT)

146 x 25 x 2900 mm

Per Panel - 4.56 SQFT



AGWPC DECK R-07 (TEAK)

146 x 25 x 2900 mm

Per Panel - 4.56 SQFT



AGWPC DECK R-08 (NATURAL TEAK)

146 x 25 x 2900 mm

Per Panel - 4.56 SQFT



Natural
wood looks



High weathering
capability



Durable &
long lasting



UV resistant &
anti-fading




Barefoot
safe



Low maintenance
& costs


Installation Process

1




Joist need to pre-drilling before fix the expansion screw.
Spacing between joists should be 25-30cm.

2




Fix the starter clips on one side of the joist.
Insert the decking into the starter clips, and install the first decking board.

3



Insert the clips in board and screw into joist.
Fix the first Decking with the clips.

4



Insert next row of clips securing board.
Insert the Screw but do not tighten.



Natural wood looks



High weathering capability



Durable & long lasting



UV resistant & anti-fading




Barefoot safe




Low maintenance & costs

Installation Process



Insert the second board into previous clips.
Fix & tighten the screws.



The spacing between decking should be 7mm.
Fix the next decking and repeat this steps.



Fix all the Decking with the help of clips.
Fully tighten clips & screws..



Finish the corner edging with the help of
edge closing angels.
Complete the Decking installation.



Natural
wood looks



High weathering
capability



Durable &
long lasting



UV resistant &
anti-fading



Barefoot
safe



Low maintenance
& costs



GoGreen....Go Dekorr....

AAVANA GREENS PRIVATE LIMITED



Corporate Office: H-11 Second Floor, Kalkaji, New Delhi -110019



Retail Store: Shop No, First Floor, AIPL JOY STREET, 72-73, near Escalator,
Badshahpur, Sector 66, Gurugram, Haryana 122018



www.dekorr.in



sales@dekorr.in



+91 011- 42631008/9